CERTIFICATE OF FES FILING LINDER 37 CER 61 8

I hereby certify that this correspondence is being electronically transmitted to the United States Patent and Trademark Office, Commissioner for Patents, via the EFS pursuant to 37 CFR §1.8 on the below

Date: January 22, 2010 Name: John C. Freeman, Reg. No. 34,483 Stonat

Examiner: Allen C. Ho.

2882 Conf. No.: 6106

Art Unit:

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Appln. of: David A. Jaffray et al.

Patent No.:

6,842,502 B2

Issue Date:

January 11, 2005

Serial No : Filing Date:

09/788.335 February 16, 2001

For:

CONE BEAM COMPUTED TOMOGRAPHY

WITH A FLAT PANEL IMAGER

Attorney Docket No.: 10546/42

REQUEST FOR CERTIFICATE OF CORRECTION

Mail Stop Certificate of Correction Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir

Please issue a Certificate of Correction for the above-identified patent to correct the errors listed on the accompanying Form PTO/SB/44. This request is being made pursuant to 35 U.S.C. § 254 and 35 U.S.C. § 255, since the errors comprise minor or typographical errors by the Applicants or the PTO.

On the issued patent, the name of the Assignee appears as "Dilliam Beaumont Hospital". Applicants request that the name of the Assignee be changed to William Beaumont Hospital. Support for this change can be found in the name of the Assignee mentioned in the Assignment recorded at Reel 12449. Frames 446-449 on January 8. 2002.

Also, please note that the signed Declaration filed on November 2, 2001 contained a typographical error in the typed spelling of the last name of **Jeffrey H. Siewerdsen** and this request is being made to correct the error.

Patent No. 6,842,502 B2 Serial No. 09/788,335

Applicants request that the correct Assignee's name, as well as the correct last name of Jeffrey H. Siewerdsen and a notice regarding certain Government rights be indicated by issuance of a Certificate of Correction.

The Commissioner is hereby authorized to charge \$100.00 to Deposit Account No. 23-1925 to cover the fees due to the Applicants' error. In addition, the Commissioner is hereby authorized to charge any other fees required to Deposit Account No. 23-1925.

Respectfully submitted,

John C. Freeman Registration No. 34,483 Attorney for Applicants

BRINKS HOFER GILSON & LIONE P.O. Box 10395 Chicago, Illinois 60610 (312) 321-4200 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTC-060)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO

6.842,502 B2

09/788.335

Page 1 of 1

APPLICATION NO. : ISSUE DATE :

January 11, 2005

INVENTOR(S) :

David A. Jaffray et al.

It is certified that error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Item (75), replace "Siewerdesen" with --Siewerdsen--.

Item (73), replace "Dilliam" with --William ---.

In the Specification

In column 1, after line 8, before "BACKGROUND OF THE INVENTION", insert the following paragraph.

--The invention described in one or more claims were made with Government support under Grant No. DAMD17-98-1-8497 awarded by U.S. Army Medical Research Acquisition Activity; and Grant No. 1R21-AG1931 awarded by the National Institutes of Health. The Government has certain rights in the invention of such one or more claims.--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

PATENT NO. ____

6,842,502 B2

John C. Freeman BRINKS HOFER GILSON & LIONE P.O. Box 10395

Chicago, Illinois 60610

22313-1450.

This collection of information is required by 37 CPR 1.322, 1.323, and 1.324. The information is required to obtain or retain a bornelit by the public which is to life and by the USPTO in porcess) are public which is 10 limit of the 10 hour to complete, including gathering, preparing, and submitting the completed application from to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time by our require to complete in form and/or suggestions for reducing this busden, should be sent to the Chief information Officer, U.S. Pattert and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA. 223:3-1450. DO NOT SEND FEES OR COMPLETED CRINKS TO THIS ADDRESS. SEND TO: Attention Certification of Control Stanch, Commissioner for Patterts, P.O. Box 1450, Alexandria, VA.